

FIG.-2A




FIG. 2B




FIG. 3A

606667 1333360




FIG. 3B




FIG. 3C




FIG. 4





FIG. 5A

READ REQUEST INPUTS
FROM MULTI-FUNCTION
MULTIPORTS 150






FIG._6






FIG._7






FIG. 10




FIG. 11A




FIG. 11B







FIG. 11C



Time	Lat	Long	Alt	Temp	Hum	Wind	Dir	Speed	Pressure	Clouds	Visibility	Remarks
0000	12° 00' N	107° 00' E	1000	25.0	85	10	090	10	1013.5	0	10	Clear
0100	12° 00' N	107° 00' E	1000	24.5	85	10	090	10	1013.5	0	10	Clear
0200	12° 00' N	107° 00' E	1000	24.0	85	10	090	10	1013.5	0	10	Clear
0300	12° 00' N	107° 00' E	1000	23.5	85	10	090	10	1013.5	0	10	Clear
0400	12° 00' N	107° 00' E	1000	23.0	85	10	090	10	1013.5	0	10	Clear
0500	12° 00' N	107° 00' E	1000	22.5	85	10	090	10	1013.5	0	10	Clear
0600	12° 00' N	107° 00' E	1000	22.0	85	10	090	10	1013.5	0	10	Clear
0700	12° 00' N	107° 00' E	1000	21.5	85	10	090	10	1013.5	0	10	Clear
0800	12° 00' N	107° 00' E	1000	21.0	85	10	090	10	1013.5	0	10	Clear
0900	12° 00' N	107° 00' E	1000	20.5	85	10	090	10	1013.5	0	10	Clear
1000	12° 00' N	107° 00' E	1000	20.0	85	10	090	10	1013.5	0	10	Clear
1100	12° 00' N	107° 00' E	1000	19.5	85	10	090	10	1013.5	0	10	Clear
1200	12° 00' N	107° 00' E	1000	19.0	85	10	090	10	1013.5	0	10	Clear
1300	12° 00' N	107° 00' E	1000	18.5	85	10	090	10	1013.5	0	10	Clear
1400	12° 00' N	107° 00' E	1000	18.0	85	10	090	10	1013.5	0	10	Clear
1500	12° 00' N	107° 00' E	1000	17.5	85	10	090	10	1013.5	0	10	Clear
1600	12° 00' N	107° 00' E	1000	17.0	85	10	090	10	1013.5	0	10	Clear
1700	12° 00' N	107° 00' E	1000	16.5	85	10	090	10	1013.5	0	10	Clear
1800	12° 00' N	107° 00' E	1000	16.0	85	10	090	10	1013.5	0	10	Clear
1900	12° 00' N	107° 00' E	1000	15.5	85	10	090	10	1013.5	0	10	Clear
2000	12° 00' N	107° 00' E	1000	15.0	85	10	090	10	1013.5	0	10	Clear
2100	12° 00' N	107° 00' E	1000	14.5	85	10	090	10	1013.5	0	10	Clear
2200	12° 00' N	107° 00' E	1000	14.0	85	10	090	10	1013.5	0	10	Clear
2300	12° 00' N	107° 00' E	1000	13.5	85	10	090	10	1013.5	0	10	Clear



F16v2E/3 B



13 D




FIGURE 13 C




FIGURE 13 E




FIGURE 13 F




FIGURE 13 G

00227 1989160




FIGURE 13H




FIGURE 13I




FIGURE 13J.




FIGURE 13 K




FIGURE 13L




FIGURE 13M




FIGURE 13N




FIGURE 13P




FIGURE 13Q

2704	2706	2708	2710
R	Pointer Field	Btt	2700
R	Pointer Field	Btt	2702

FIGURE 13 R

2704	2706	2708	2710
R	Pointer Field	Btt	2700
R	Pointer Field	Btt	2702
RESULT	2726	INDEX	2724
PREFIX	2722	QOS	2730
STATISTICS	2728	QOS	2730


FIGURE 13 S

RESULT	2726	INDEX	2724
PREFIX	2722	QOS	2730
STATISTICS	2728	QOS	2730

FIGURE 13 T

FIGURE

13 U






FIGURE 8B 13 V




FIG. 15A




FIG. 15B




FIG. 16




FIG. 17A




FIG. 17B




FIG. 18